

MATERIAL SAFETY DATA SHEET

Potassium Hydroxide 25% Solution

SECTION 1 . Product and Company Identification

Product Name and Synonym: Potassium Hydroxide 25% Solution
Product Code: 217-00
Material Uses:
Manufacturer: OFI Testing Equipment, Inc.
11302 Steeplecrest Drive
Houston, TX 77065 USA
Phone: (713) 880-9885
Fax: (713) 880-9886
Entry Date : 5/10/2010
Print Date: 7/30/2010
24 Hour Emergency Assistance : Chemtrec 800-424-9300
Canutec 613-996-6666

Health:	3			
Flammability:	0			
Reactivity:	1			
Hazard Rating:				
Least	Slight	Moderate	High	Extreme
0	1	2	3	4
NA = Not Applicable		NE = Not Established		

SECTION 2 HAZARD IDENTIFICATION

Causes severe irritation and burns. May be harmful if swallowed. May be harmful if absorbed through the skin. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

Emergency Overview:POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. INHALATION MAY CAUSE LUNG AND TOOTH DAMAGE. FLAMMABLE LIQUID AND VAPOR. CORROSIVE!

Inhalation:Inhalation of Vapors can cause Coughing, Choking, Inflammation, of the Nose, Throat, and Upper Respiratory Tract, and in Severe Cases, Pulmonary Edema, Circulatory Failure, and Death.

Ingestion:CORROSIVE! Swallowing can cause Immediate Pain and Burns of the Mouth, Throat, Esophagus, and Gastrointestinal Tract. May cause Nausea, Vomiting, and Diarrhea, and in Severe Cases, Death.

Skin:CORROSIVE! Can cause Redness, Pain, and Severe Skin Burns. Concentrated Solutions Cause Deep Ulcers and Discolor of Skin.

CORROSIVE! Vapors are Irritating and May cause Damage to Eyes. Contact May cause Severe Burns and Permanent Eye Damage.

Chronic Exposure:Eye Contact:Long-Term Exposure to Concentrated Vapors May cause Erosion of Teeth. Long-Term Exposures Seldom Occur due to the Corrosive Properties of the Acid.

Aggravated by Exposure:Persons with Pre-Existing skin Disorders or Eye Disease May be more Susceptible to the Effects of this Substance.

SECTION 3 MIXTURE COMPONENTS

Potassium Hydroxide 25% Solution

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Potassium Hydroxide	CAS# 1310-58-3	25%	W/V	OSHA PEL 2 mg/m ³
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	Balance	W/V	None Established

SECTION 4 FIRST AID MEASURES

Causes severe irritation and burns. May be harmful if swallowed. May be harmful if absorbed through the skin. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

FIRST AID: SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Any means suitable for extinguishing surrounding fire.

Fire / Explosion Hazards: Negligible fire hazard when exposed to heat or flame.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

SECTION 6 ACCIDENTAL RELEASE MEASURES

ventilate area of leak or spill. Take up with sand or other inert material and place in container for later disposal. Neutralize with weak acid.

Ventilate area or Leak or Spill. Remove all Sources of Ignition. Wear Appropriate Personal Protective Equipment as Specified in Section 8. Isolate Hazard Area. Keep Unnecessary and Unprotected Personnel from Entering. Contain and Recover Liquid when Possible. Use Non-Sparking Tools and Equipment. Neutralize with Soda Ash or Lime and Absorb with an Inert Material (e.g., Vermiculite, Dry Sand, Earth), and Place in a Chemical Waste Container. Do Not Use Combustible Materials, such as Saw Dust. Do Not Flush to Sewer! US Regulations (CERCLA) Require Reporting Spills and Releases to Soil, Water and Air in Excess of Reportable Quantities.

SECTION 7 HANDLING AND STORAGE

Store in a cool dry place. Store above 60 deg F to prevent freezing. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Keep containers tightly closed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None required

Potassium Hydroxide 25% Solution

Ventilation

Local Exhaust

Mechanical

Protective Gloves:

Neoprene or nitrile gloves are recommended.

Eye Protection:

Goggles and Face Shield

Other Protective Equipment:

Wear appropriate clothing to prevent skin exposure as boots, gloves, apron or coveralls

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Melting Point:	27° F (-3° C)	Percent Volatile by Volume:	~ 75%
Boiling Point:	213° F (101° C)	Evaporation Rate	Information not available
Vapor Pressure:	Information not available	Evaporation Standard	
Vapor Density:	Information not available	Auto Ignition Temp	Not applicable
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	Not applicable
Appearance /Odors:	Colorless, odorless liquid	Upper Flamm. Limit in Air	Not applicable
Flash Point:	Not flammable		
Specific Gravity:	Information not available		

SECTION 10 STABILITY AND REACTIVITY INFORMATION

Stability:	Stable
Conditions to Avoid:	Moisture, may ignite combustibles.
Materials to Avoid:	Acids, Acrolein, alcohols, aluminum, Tin, zinc, Chlorine, Acetone
Hazardous Decomposition Products:	potassium oxide
Hazardous polymerization:	Not reported to occur under normal conditions
Conditions to Avoid:	None known

SECTION 11 Toxicological Information

Carcinogenic Reference: NTP Carcinogen - Known: No, IARC Category- None

SECTION 12 Ecological Information

Environmental Fate:No information found
Ecological Toxicity:Potassium Hydroxide: TL m: 80 ppm/Mosquito fish/ 24 hr./ Fresh water

SECTION 13 Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Potassium Hydroxide 25% Solution

SECTION 14 Transport Information

DOT Classification: Potassium hydroxide solution, 8, UN1814, PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

SECTION 15 Regulatory Information

Chemical Inventory Status –
Part 1:Ingredient
Potassium Hydroxide (1310-58-3)
Water (7732-18-5)
TSCA Yes Yes
EC Yes Yes
Japan YES Yes
Australia Yes Yes

Chemical Inventory Status –
Part 2:Ingredient
Potassium Hydroxide (1310-58-3)
Water (7732-18-5)
Korea Yes Yes
DSL Yes Yes
NDSL No No
Phil. Yes Yes

Federal, State & International Regulations –
Part 1: Ingredient.
Potassium Hydroxide (1310-58-3)
Water (7732-18-5)
RQ NO No
TPQ No No
List NO No
Chemical Catg No No.


Federal, State &
International Regulations –
Part 2:Ingredient
Potassium Hydroxide (1310-58-3)
Water (7732-18-5)
CERCLA 1000 No
261.33 No No
8(d) No No

Chemical Weapons Convention: No
TSCA 12 (b):No
CDTA:No MIXTURE/LIQUID
SARA 311/312: Acute: YES
Chronic: YES
Fire: No
Pressure: No
Reactivity: No
Australian Hazchem Code: 2R
Poison Schedule: S6

SECTION 16 Additional Information

POISON! DANGER! CORROSIVE! Causes severe burns to skin, eyes, respiratory tract and gastrointestinal tract. Corrosive by skin contact, eye contact, inhalation, and ingestion. Toxic by ingestion. Corrosive to mucous membranes. May cause perforation of the esophagus and stomach. At increased risk from exposure are persons with preexisting skin and eye conditions. Chronic exposure: development of a defatting dermatitis on prolonged contact with potassium hydroxide has been reported. Continued irritation may lead to increased susceptibility to respiratory illness.

Potassium Hydroxide 25% Solution



Revisions

7/30/2010	0.1	updated msds to 16 section from 10 section msds. STN
	0	

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.