

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

1 Identification

- **Product identifier**
- **Trade name:** Aerosol Solution
- **Article number:** 131-16
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
OFI Testing Equipment Inc.
11302 Steeplecrest Dr.
Houston, TX 77065
(877) 837-8683
- **Information department:** techservices@ofite.com
- **Emergency telephone number:**
INFOTRAC USA - CANADA: 1-800-535-5053
INTERNATIONAL: 1-352-323-3500



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Flam. Liq. 4 H227 Combustible liquid.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**
dioctyl sulfosuccinate sodium salt
- **Hazard statements**
Combustible liquid.
Causes skin irritation.
Causes serious eye damage.
- **Precautionary statements**
Keep away from flames and hot surfaces. – No smoking.
Wear protective gloves / eye protection / face protection.
Wear protective gloves / eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 1)

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

In case of fire: Use for extinction: CO₂, powder or water spray.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 111-76-2	2-butoxyethanol	15.0%
CAS: 577-11-7	dioctyl sulfosuccinate sodium salt	10.36%

· **Table of Nonhazardous Ingredients**

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	0.91%
CAS: 104-76-7	Isooctanol	0.13%
CAS: 67-64-1	Acetone	0.08%
CAS: 7732-18-5	Water	73.52%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 111-76-2	2-butoxyethanol	60 ppm
CAS: 577-11-7	dioctyl sulfosuccinate sodium salt	5.7 mg/m ³
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 104-76-7	Isooctanol	0.1 ppm
CAS: 67-64-1	Acetone	200 ppm

- **PAC-2:**

CAS: 111-76-2	2-butoxyethanol	120 ppm
CAS: 577-11-7	dioctyl sulfosuccinate sodium salt	63 mg/m ³
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 104-76-7	Isooctanol	100 ppm
CAS: 67-64-1	Acetone	3200* ppm

- **PAC-3:**

CAS: 111-76-2	2-butoxyethanol	700 ppm
CAS: 577-11-7	dioctyl sulfosuccinate sodium salt	380 mg/m ³
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 104-76-7	Isooctanol	200 ppm
CAS: 67-64-1	Acetone	5700* ppm

US

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 111-76-2 2-butoxyethanol

PEL	Long-term value: 240 mg/m ³ , 50 ppm Skin
REL	Long-term value: 24 mg/m ³ , 5 ppm Skin
TLV	Long-term value: 97 mg/m ³ , 20 ppm BEI

- **Ingredients with biological limit values:**

CAS: 111-76-2 2-butoxyethanol

BEI	200 mg/g creatinine LD50 Intraperitoneal: urine Time: end of shift LD50: Butoxyacetic acid with hydrolysis
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** undistinguishable

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** 67 °C (153 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 240 °C (464 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower: 1.1 Vol %

Upper: 10.6 Vol %

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 5)

- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 16.1 %
 - Water:** 73.5 %
 - VOC content:** 16.0 %
- **Other information** 160.4 g/l / 1.34 lb/gl
No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	4445 mg/kg (rat)
Dermal	LD50	7067 mg/kg (rab)
Inhalative	LC50/4 h	73.3 mg/l

- **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 111-76-2	2-butoxyethanol	3
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 6)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | Not regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not regulated |

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 7)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 111-76-2	2-butoxyethanol
---------------	-----------------

· **TSCA (Toxic Substances Control Act):**

CAS: 111-76-2	2-butoxyethanol
---------------	-----------------

CAS: 577-11-7	dioctyl sulfosuccinate sodium salt
---------------	------------------------------------

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof
--------------	-----------------------------------

CAS: 104-76-7	Isooctanol
---------------	------------

CAS: 67-64-1	Acetone
--------------	---------

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof
--------------	-----------------------------------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 111-76-2	2-butoxyethanol	NL
---------------	-----------------	----

CAS: 67-64-1	Acetone	I
--------------	---------	---

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 111-76-2	2-butoxyethanol	A3
---------------	-----------------	----

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	A3
--------------	-----------------------------------	----

CAS: 67-64-1	Acetone	A4
--------------	---------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

dioctyl sulfosuccinate sodium salt

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/28/2017

Trade name: Aerosol Solution

(Contd. of page 8)

- **Hazard statements**

- Combustible liquid.

- Causes skin irritation.

- Causes serious eye damage.

- **Precautionary statements**

- Keep away from flames and hot surfaces. – No smoking.

- Wear protective gloves / eye protection / face protection.

- Wear protective gloves / eye protection / face protection.

- Wash thoroughly after handling.

- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

- Continue rinsing.

- Immediately call a POISON CENTER/doctor.

- Specific treatment (see on this label).

- In case of fire: Use for extinction: CO₂, powder or water spray.

- IF ON SKIN: Wash with plenty of water.

- If skin irritation occurs: Get medical advice/attention.

- Take off contaminated clothing and wash it before reuse.

- Store in a well-ventilated place. Keep cool.

- Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

- **Contact:**

- **Date of preparation / last revision**

- Creation date for SDS 4/09/14 LS

- Revision 0.2, 06-30-2017: Reviewed SDS. STN

- 06/30/2017 / -

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation

- IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)

- VOC: Volatile Organic Compounds (USA, EU)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health

- TLV: Threshold Limit Value

- PEL: Permissible Exposure Limit

- REL: Recommended Exposure Limit

- BEI: Biological Exposure Limit

- Flam. Liq. 4: Flammable liquids – Category 4

- Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Dam. 1: Serious eye damage/eye irritation – Category 1