Printing date 04/05/2021 Reviewed on 04/05/2021

1 Identification

· Product identifier

· Trade name: <u>Iron Sulfide</u> <u>Detection Solution</u>

· Article number: 280-02

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683
- · Information department:

techservices@ofite.com Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Hydrochloric Acid Sodium m-Arsenite

(Contd. on page 2)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 1)

· Hazard statements

Causes severe skin burns and eye damage.

May cause cancer.

May cause respiratory irritation.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | | |
|-------------------------|-------------------|---------|--|--|
| CAS: 7647-01-0 | Hydrochloric Acid | 37.354% | | |
| CAS: 7784-46-5 | Sodium m-Arsenite | 1.401% | | |

(Contd. on page 3)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 2)

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water 61.246%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 $\cdot \textit{Personal precautions, protective equipment and emergency procedures}$

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| 1 Total Tienen Criticita yor Chemicans | |
|--|-----------------------|
| · PAC-1: | |
| CAS: 7647-01-0 Hydrochloric Acid | 1.8 ppm |
| CAS: 7784-46-5 Sodium m-Arsenite | 0.91 mg/m^3 |
| · PAC-2: | |
| CAS: 7647-01-0 Hydrochloric Acid | 22 ppm |
| CAS: 7784-46-5 Sodium m-Arsenite | 10 mg/m^3 |
| | (Contd. on page 4) |

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 3)

| | | (F8) |
|-----------------|-------------------|-----------|
| · <i>PAC-3:</i> | | |
| CAS: 7647-01-0 | Hydrochloric Acid | 100 ppm |
| CAS: 7784-46-5 | Sodium m-Arsenite | 170 mg/m³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| · Components with limit values that require monitoring at the workplace: | | | |
|--|---|--|--|
| CAS: 7647-01-0 Hydrochloric Acid | | | |
| NIOSH RECOMENDED EXP LIMI Ceiling limit value: 7.0 mg/m3 mg/m³ | | | |
| PEL | Ceiling limit value: 7 mg/m³, 5 ppm | | |
| REL | Ceiling limit value: 7 mg/m³, 5 ppm | | |
| TLV | Ceiling limit value: 2.98 mg/m³, 2 ppm | | |
| CAS: 7784-46-5 Sodium m-Arsenit | CAS: 7784-46-5 Sodium m-Arsenite | | |
| PEL | Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018 | | |
| REL | Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A | | |
| TLV | Long-term value: 0.01 mg/m³ as As | | |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

· pH-value:

Form: Liquid
Color: Colorless
Odor: Odor threshold: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower: Not determined.

(Contd. on page 6)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide **Detection Solution**

| | | (Contd. of page |
|---|--|-----------------|
| Upper: | Not determined. | |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| · Density: | Not determined. | |
| Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wate | e r): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Water: | 61.2 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

Inhalative LC50/4h 0.5 mg/l (ATE)

| · Acute toxicity: | | | |
|--|---------|--------------------|--|
| · LD/LC50 values that are relevant for classification: | | | |
| ATE (Acute Toxicity Estimate) | | | |
| Oral | LD50 | 2,927 mg/kg (rat) | |
| Dermal | LD50 | 10,708 mg/kg (rat) | |
| Inhalative | LC50/4h | 35.7 mg/l | |
| CAS: 7784-46-5 Sodium m-Arsenite | | | |
| Oral | LD50 | 0.5 mg/kg (ATE) | |
| Dermal | LD50 | 5 mg/kg (ATE) | |

(Contd. on page 7)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide
Detection Solution

(Contd. of page 6)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | | | |
|--|---|--|--|
| CAS: 7784-46-5 Sodium m-Arsenite | 1 | | |
| · NTP (National Toxicology Program) | | | |
| CAS: 7784-46-5 Sodium m-Arsenite | K | | |

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 7784-46-5 Sodium m-Arsenite

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 7)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| N-Number | VIVIE (0 |
|---|--|
| OT, IMDG, IATA | UN1760 |
| N proper shipping name | |
| OOT | Corrosive liquids, n.o.s. (Hydrochloric acid) |
| MDG, IATA | CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID) |
| ransport hazard class(es) | |
| OOT | |
| * | |
| | |
| CORROSIVE | |
| 8 | |
| lass | 8 Corrosive substances |
| abel | 8 |
| MDG, IATA | |
| wDG, IATA | |
| | |
| Til He | |
| 8 | |
| lass | 8 Corrosive substances |
| abel | 8 |
| | 0 |
| Cacking group | |
| OT, IMDG, IATA | II |
| nvironmental hazards: | |
| larine pollutant: | No |
| pecial precautions for user | Warning: Corrosive substances |
| lazard identification number (Kemler code): | |
| MS Number: | F- A , S - B |
| egregation groups | Acids |
| towage Category | B |
| towage Code | SW2 Clear of living quarters. |
| ransport in bulk according to Annex II of | |
| 1ARPOL73/78 and the IBC Code | Not applicable. |
| ransport/Additional information: | |
| - • | |
| OOT Quantity limitations | On nassangar aircraft/rail: 1 I |
| дианиу итианон у | On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L |

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 8)

| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
|---|---|
| · UN ''Model Regulation'': | UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

CAS: 7784-46-5 Sodium m-Arsenite

· Section 313 (Specific toxic chemical listings):

CAS: 7784-46-5 Sodium m-Arsenite

· TSCA (Toxic Substances Control Act):

| Water | ACTIVE |
|-------------------|--------|
| Hydrochloric Acid | ACTIVE |
| Sodium m-Arsenite | ACTIVE |

- · Hazardous Air Pollutants
- CAS: 7647-01-0 Hydrochloric Acid
- CAS: 7784-46-5 Sodium m-Arsenite
- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 7784-46-5 Sodium m-Arsenite

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

| \cdot EPA | (Environmental | l Protection A | (Agency |
|-------------|----------------|----------------|---------|
|-------------|----------------|----------------|---------|

CAS: 7784-46-5 Sodium m-Arsenite

 \boldsymbol{A}

· TLV (Threshold Limit Value)

CAS: 7784-46-5 Sodium m-Arsenite

A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7784-46-5 Sodium m-Arsenite

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 9)

· Hazard pictograms







GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Hydrochloric Acid

Sodium m-Arsenite

· Hazard statements

Causes severe skin burns and eye damage.

May cause cancer.

May cause respiratory irritation.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.0, 03-17-2021: Creation date for SDS. STN

Revision 0.2, updated pH Information. STN

(Contd. on page 11)

Printing date 04/05/2021 Reviewed on 04/05/2021

Trade name: Iron Sulfide

Detection Solution

(Contd. of page 10)

Revision 2.2, 05-07-2015: corrected emergency and information contacts. STN

Revision 1.0, 01-23-20: updated description and hazard icons. STN

04/05/2021 / 1.0

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

US