



MSDS (MATERIAL DATA SAFETY SHEET)
CARBON DIOXIDE SUPPLIED IN 8 GRAM CARTRIDGES

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY

COMPANY : UNITED BRANDS PRODUCT DESIGN DEVELOPMENT AND MARKETING INC.

CONTACT: 170 Associated Rd., South San Francisco, CA 94080, U.S.A

TEL : 650-588-8952 FAX : 650-588-8568

PRODUCT: CO2 supplied in cartridges

CREATION DATE : Jan 2013

FORMULA: CO2

REVIEWED DATE: 2022.10.12.

EMERGENCY CONTACT: CHEMTREC: 800-424-9300

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS NO	EINECS
CO2	124-38-9	204-696-9

2. HAZARD IDENTIFICATION

- 2.1. Classification according to Regulation No 1272/2008/EC

GHS label elements

GHS04



ATTENTION

Category

Gases under pressure, liquefied gas,

Hazard Statements (H- phrases)

H280 - Contains gas under pressure; may explode if heated.

Precautionary Statements (P- phrases)

P102 - Keep out of reach of children

P315 - Get immediate medical advice/attention.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

Supplemental hazard information

- 2.2. Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	2/9
Date of revision:	2022.10.12.		Version:	3

Risk phrases

Danger signs

S1/2 - Keep locked up and out of the reach of children.

S9 - Keep container in a well-ventilated place.

S23 - Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3. Other dangers

Oxygen levels below 19.5% may cause asphyxia. Carbon dioxide exposure can cause nausea and respiratory problems. High concentrations may cause vasodilation leading to circulatory collapse.

2.3.1. Health effects

risk of suffocation, risk of chilblain,

2.3.2. Environmental effects

risk of chilblain,

2.3.3. Physical and chemical danger

no data

2.3.4. Specific dangers

no data

3. COMPOSITION/INFORMATION ON INGREDIENTS

124-38-9	CARBON DIOXIDE	99.5 %
----------	----------------	--------

GHS04



H280

(You can see full text of R and H sentences at 16 point.)

4. FIRST AID MEASURES

Inhaling

risk of suffocation, remove the wounded to fresh air, when unconscious without delay artificial respiration or oxygen inhalation,

Eyes

risk of chilblain,

Skin

risk of chilblain,

Swallowed

no adverse effects anticipated,

Symptoms and effects, both acute and delayed



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	3/9
Date of revision:	2022.10.12.		Version:	3

Carbon dioxide is the most powerful cerebral vasodilator known. Inhaling large concentrations causes rapid circulatory insufficiency leading to coma and death. Asphyxiation is likely to occur before the effects of carbon dioxide overexposure. Chronic, harmful effects are not known from repeated inhalation of low concentrations. Low concentrations of carbon dioxide cause increased respiration and headache.

Effects of oxygen deficiency resulting from simple asphyxiants may include: rapid breathing, diminished mental alertness, impaired muscular coordination, faulty judgement, depression of all sensations, emotional instability, and fatigue. As asphyxiation progresses, nausea, vomiting, prostration, and loss of consciousness may result, eventually leading to convulsions, coma, and death.

Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals

General



Instructions for the doctor: symptomatic treatment,

5. FIREFIGHTING MEASURES

Fire-hazard class: E Non-ammable



- 5.1. **Adequate extinguishing materials:**
use extinguishing material suitable to the near circumstances, the material is an extinguishing agent,
- 5.2. **Inadequate extinguishing materials**
unknown,
- 5.3. **Dangerous decomposition products**
incombustible,
- 5.4. **Special protection equipment for firemen**
Wear self-contained breathing apparatus in enclosed space a respirator that is independent from the ambient air should be used, Use self-contained breathing apparatus.
- 5.5. **Specific dangers**
no data
- 5.6. **Specific methods**
no data

6. ACCIDENTAL RELEASE MEASURES

- 6.1. **Measures for personnel protection:**
put on the protective equipment, evacuate the area and close for the traffic, keep upwind,
- 6.2. **Measures for environment protection**
if possible stop the leakage, prevent that the substance in gutter, hole and collar gets, when the substance gets in gutter or water, notify the local authorities,
- 6.3. **Methods of decontamination**
let's fresh air in the area, warn everybody, gather spreaded substance in closed vessel carry to destroying place, watch your own protection !!!
- 6.4. **Reference to other sections**
Find the personal protective equipments in the 8.

7. HANDLING AND STORAGE

- 7.1. **Handling**
- 7.1.1. **Technical precautions**
ventilation should be provided, it is recommended to use protective equipments,



Date: 2013.08.27.

Date of revision: 2022.10.12.

Carbon dioxide supplied in cartridges

Site: 4/9

Version: 3

7.1.2. Safe handling guidance

avoid the product getting on the skin, in the eyes, on the clothes, avoid breathing its fume, prevent that the substance comes in contact with water, equipment that is suitable for this product and for the designed pressure and temperature should be used.

7.2. Storage**7.2.1. Technical measures/storage conditions**

Store in a cool, dry and well-ventilated area, in original, closed packing, keep away from heat, sources of ignition

7.2.2. Incompatible products

no data

7.2.3. Packaging materials

in retail boxes and/or in bulk

7.3. Special application

no data

8. EXPOSURE CONTROLS – PERSONAL PROTECTION**8.1. Exposure limit values**

ingredients:

AK value (mg/m3)

CK value (mg/m3)

MK value (mg/m3)

1. CARBON DIOXIDE

9000

18000

8.2. Exposure control

ventilation should be provided, it is recommended to use protective equipments, avoid breathing its fume, avoid the product getting on the skin, in the eyes, on the clothes,

8.2.1. Workplace exposure control**8.2.1.1. Respiratory protection:**

inadequate exhaust or ventilation use respiratory protection,

8.2.1.2. Hand protection:

protective gloves, (MSZ EN388),

8.2.1.3. Eyes protection:

tightly closing protective goggles (EN 166),

8.2.1.4. Protection of skin and body surface:

safety shoes (MSZ EN 345-1, SB)

8.2.2. Environmental exposure control

prevent that the substance in gutter, hole and collar gets,

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. General informations**

Appearance:

gas, in objects,

Colour:

greyish-coloured,

Odour:

odourless,



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	5/9
Date of revision:	2022.10.12.		Version:	3

Information on basic physical and chemical properties

Ph:	nem értelmezhet	/not applicable
Boiling Point (°C):	nem értelmezhet	/not applicable
Ignition temperature (°C):	nem értelmezhet	/not applicable
Explosive limit:		
- lower:	nem értelmezhet	/not applicable
- upper:	nem értelmezhet	/not applicable
Oxidize facility:	nem értelmezhet	/not applicable
Vapor Pressure (20 °C):	57,258 bar	
Gravity (20 °C):	nem értelmezhet	/not applicable
Speci c gravity (water=1), (20 °C):	nem értelmezhet	/not applicable
Solubility:		
- Water:	dissolves with water,	
- Other solvents:	no data	
Distribution coefficient (n-octanol/water)::	0,83	
Viscosity:	nem értelmezhet	/not applicable
Vapor Density:	1,8474 kg/m3 (15°C), 1,9767 kg/m3 (0°C, 1013mbar)	
Evaporation Rate:	nem értelmezhet	/not applicable
Decomposition Temperature:	nem értelmezhet	/not applicable
Other items:	Filling pressure: 8MPa (1,175psi) Pressure at 50 °C: 18 MPa (2,645 psi) Burst pressure: min. 52 MPa,	

9.2. Other Informations

Melting Point (°C):	nem értelmezhet	/not applicable
Flash-point (°C):	nem értelmezhet	/not applicable

10. STABILITY AND REACTIVITY**10.1. Reactivity**

stable under normal conditions,

10.2. Chemical stability

there is no decomposition under normal condition,

10.3. Possibility of hazardous reactions

no information available,

10.4. Conditions to avoid

stable substance,

10.5. Incompatible materials

Certain reactive metals, hydrides, moist cesium monoxide, or lithium acetylene carbide diammino may ignite.
 Passing carbon dioxide over a mixture of sodium peroxide and aluminum or magnesium may explode.

10.6. Hazardous decomposition products

no data

11. TOXICOLOGICAL INFORMATION**Actual material**

Carbon dioxid supplied in cartridges

11.1. Acute toxicity**11.1.1. After inhaling**

In animals:

not determined,

11.1.2. When swallowed

In animals:



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	6/9
Date of revision:	2022.10.12.		Version:	3

no data

11.1.3. In case of contacting skin

In animals:

no data

11.2. Local effects**11.2.1. After inhaling**

Carbon dioxide is the most powerful cerebral vasodilator known. Inhaling large concentrations causes rapid circulatory insufficiency leading to coma and death. Asphyxiation is likely to occur before the effects of carbon dioxide overexposure. Chronic, harmful effects are not known from repeated inhalation of low concentrations. Low concentrations of carbon dioxide cause increased respiration and headache.

Effects of oxygen deficiency resulting from simple asphyxiants may include: rapid breathing, diminished mental alertness, impaired muscular coordination, faulty judgement, depression of all sensations, emotional instability, and fatigue. As asphyxiation progresses, nausea, vomiting, prostration, and loss of consciousness may result, eventually leading to convulsions, coma, and death.

Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals

11.2.2. In case of contacting skin

no adverse effects anticipated,

11.2.3. In case contacting eyes

no adverse effects anticipated,

11.3. Sensibility

not sensitizing,

11.4. Chronic toxicity

no data

11.5. Specific effects**11.5.1. Genotoxicity**

not mutagenic,

11.5.2. Carcinogenicity

none carcinogen,

11.5.3. Reproductive toxicity

not cause genetic toxicity,

12. ECOLOGICAL INFORMATION**Actual material**

Carbon dioxide supplied in cartridges

12.1. Ecotoxicity**12.1.1. Water toxicity**

no data

12.1.2. Terrestrial toxicity

no data

12.1.3. Behaviour in waste water treatment plants

no data

12.2. Mobility

no data

12.3. Biological persistence**12.3.1. General****12.3.2. In water**

no data

12.3.3. In air

no data



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	7/9
Date of revision:	2022.10.12.		Version:	3

12.3.4. In soils and sediments

no data

12.4. Bioaccumulative potential

no data

12.5. Results of PBT and vPvB assessment

the substance does not contain polychlorinated hydrocarbons and heavy metals,

12.6. Other adverse effects

prevent that the substance in water, agricultural land and gutter gets, when the substance gets in gutter or water, notify the local authorities,

13. DISPOSAL CONSIDERATIONS**13.1. Material disposal**

Any product originated from the use of the substance or preparation and unsuitable for further utilisation, as well as the tools and packing materials, should be delivered to an approved deposit for recycling or neutralisation.

13.2. Package disposal

the packaging has to be used, like product

13.3. EWC number

15 01 05

14. TRANSPORT INFORMATION**UN number**

2037

ADR/ADN/RID

Proper shipping name: Receptacles, small containing gas (Gas Cartridges)

Technical/Trade name: Carbon dioxide supplied in cartridges

Hazard class: 2

Labels: 2.2

Classification code: 5A

Packing group: -

Hazard identification number: 20

Hazard of environment: NO

Tunnel restriction code: (E)

IMDG

Proper shipping name: Receptacles, small containing gas (Gas Cartridges)

Technical/Trade name: Carbon dioxide supplied in cartridges

Hazard class: 2

Labels: 2.2

Packing group: -

EmS: F-D, S-U,

Marine pollutant: NO

IATA

Proper shipping name: Gas cartridges

Technical/Trade name: Carbon dioxide supplied in cartridges

Hazard class: 2.2

Labels: 2.2

Packing group: -

PAX: Y203.203

CAO: 203

UN Number: 2037



Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	8/9
Date of revision:	2022.10.12.		Version:	3

15. REGULATORY INFORMATION

15.1. Seveso category

-

15.2. Storage category

2A storage class: Compressed, liquefied or dissolved under pressure gases,

15.3. WGK

-

15.4. Important national regulations related to the product

Act No. XCIII/1993 on work safety, and the related regulations

Act No. XLIII/2000 on waste management

Act No. XXV/2000 on chemical safety

Gov. Decree No. 98/2001 (VI. 15.) on the conditions of pursuing waste-related activities

Decree No. 25/1996 (VIII. 28.) of the Minister of Public Health on the general health requirements of working and work conditions without health risks

Decree No. 26/1996 (VIII. 28.) of the Minister of Public Health on the limitations of the (weekly, daily) exposure time of workers employed under certain health risks

Decree No. 28/2011. (IX. 6.) of the Minister of Internal Affairs on issuing the National Fire Protection Rules

Decree No. 44/2000. (XII. 20.) of the Minister of Health on the detailed rules of certain procedures and activities related to hazardous substances and hazardous products

Joint Decree No. 25/2000 (IX. 30.) of the Minister of Health and of the Minister of Social and Family Affairs on the chemical safety of workplaces,

EUM decree no.

The European Community and Regulation 1907/2006/EC on the registration, evaluation, approval and restriction of chemicals (REACH)

15.5. Other relevant national regulations

Joint Decree No. 25/2000 (IX. 30.) of the Minister of Health and of the Minister of Social and Family Affairs on the chemical safety of workplaces

EWC code numbers: Decree No. 16/2001 (VII. 18.) of the Minister for the Environment on the lists of waste, as amended by Decree No. 10/2002 (III. 26.) of the Minister for the Environment

Road Transport Department: Act 19 of 1979 and decree no. 71/2011 (XII.8.) amending KPM decree no. 20/1979 (IX. 18.)

KPM on the promulgation of Annex "A" and "B" of the European Agreement on the International Road Transport of

Hazardous Goods, and Annex C of Act LXXVII of 2006 (GKM decree no. 72/2011 (XII.8.) NFM on the promulgation of the

domestic use of the annexes of the International Railway Goods Transport Convention

1272/2008/EC regulation on classification, labelling and packaging of substances and mixtures, amending and repealing

Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

15.6. Chemical safety assessment

no information available,

16. OTHER INFORMATION

The review affected this chapters:

1.3, 3.3.3, 3.3.4, 4.2, 4.5, 4.6, 5.5, 5.6, 6.4, 7.2.2, 7.2.3, 7.3, 8.1, 8.2.1.1, 10.2, 10.5, 10.6, 10.7, 11.1.1, 11.1.2, 11.1.3, 11.2.3, 11.2.2, 11.2.1, 11.3, 11.4, 11.5.1, 11.5.2, 11.5.3, 12.1.1, 12.1.2, 12.1.3, 12.2, 12.3.1, 12.3.2, 12.3.3, 12.4, 12.6, 12.5, 14, 15.14, 15.11, 15.10, 16.3

Risk phrases

H- phrases

H280 - Contains gas under pressure; may explode if heated.

16.1. General information

Date:	2013.08.27.	Carbon dioxide supplied in cartridges	Site:	9/9
Date of revision:	2022.10.12.		Version:	3

This information relates TO THE PRODUCT AS SUCH and is in compliance with the specifications of the enterprise. In case of products and mixtures, it should be ensured that no new risks arise.

The information on this data sheet is based on our best knowledge at the time of printing the safety data sheet and is provided in good faith. However, certain data are being reviewed.

Users should note the potential for additional risks in case of using the product for purposes other than the recommended application. This data sheet may be used and reproduced for prevention and safety purposes only. The references to legislation, regulations and practical rules, and documents should not be considered complete.

It is the responsibility of the person receiving the product to consult all documents related to the use and handling of the product.

The responsibility of parties handling the product also includes to pass on the whole of the information listed on the safety data sheet and necessary for work safety and for the protection of health and the environment, to the next person who may get in contact in any way with the product (use, storage, cleaning of containers, other operations).

16.2. Technical advisory services

United Brands PDDM Inc.,
170 Associated Rd., South San Francisco, CA 94080
Tel: 800-500-0583 Fax : 650-588-8568

16.3. Sources

United Brands Product Data Sheet

16.4. Further information

-

