Printing date 07/14/2017

Reviewed on 07/14/2017

Identification		
Product identifier		
Trade name: Calci	ium Titration	<u> <u> </u></u>
Solut	tion I	
Article number: 20)5-24	
• Details of the supp • Manufacturer/Sup OFI Testing Equip		
11302 Steeplecrest Houston, TX 77065 (877) 837-8683		
· Emergency telepho	CANADA: 1-800-535-5053	
Hazard(s) ident	ification	
	ne substance or mixture	
GHS08	Health hazard	
Carc. 2 H351	Suspected of causing cancer.	
STOT RE 2 H373	May cause damage to organs through pro	olonged or repeated exposure.
GHS05	Corrosion	
Met. Corr.1 H290	May be corrosive to metals.	
GHS07		
Skin Sens. 1 H317	May cause an allergic skin reaction.	
· Label elements · GHS label element · Hazard pictograms		cording to the Globally Harmonized System (GHS).
GHS05 GHS07	GHS08	
Signal word Warni	ng	
• Hazard-determinin Hydroxylamine Hy • Hazard statements		
May be corrosive to	o metals.	
May cause an aller Suspected of causir		
	to organs through prolonged or repeated	exposure. (Contd. on page

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

	(Contd. of page 1)
· Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Keep only in original container.	
Contaminated work clothing must not be allowed out of the workplace.	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Wash contaminated clothing before reuse.	
Specific treatment (see on this label).	
IF exposed or concerned: Get medical advice/attention.	
If skin irritation or rash occurs: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
IF ON SKIN: Wash with plenty of water.	
Absorb spillage to prevent material damage.	
Store locked up.	
Store in corrosive resistant container with a resistant inner liner.	
Dispose of contents/container in accordance with local/regional/national/international regulation	s.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 0	
2 0 Reactivity = 0	
▼ ▼	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 0 $Fire = 0$	
REACTIVITY O Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
· vPvB: Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 5470-11-1 Hydroxylamine Hydrochloride

- · Table of Nonhazardous Ingredients
- CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

6.0%

94.0%

[—] US

Printing date 07/14/2017

Trade name: Calcium Titration Solution I

(Contd. of page 2)

Reviewed on 07/14/2017

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

CAS: 5470-11-1 Hydroxylamine Hydrochloride

0.42 mg/m3

4.7 mg/m3

• PAC-2:

CAS: 5470-11-1 Hydroxylamine Hydrochloride

· PAC-3:

CAS: 5470-11-1 Hydroxylamine Hydrochloride

28 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 5)

US

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

· Body protection: Protective work clothing

Information on basis physical and	haming I man artica	
Information on basic physical and c General Information	nemicai properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 •C (68 •F):	23 hPa (17 mm Hg)	
• Density at 20 •C (68 •F):	1.067 g/cm ³ (8.904 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	94.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl No further relevant information available.	
voc coment.		

(Contd. on page 6)

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 6800 mg/kg (mouse)

Dermal LD50 18333 mg/kg

CAS: 5470-11-1 Hydroxylamine Hydrochloride

Oral LD50 408 mg/kg (mouse)

Dermal LD50 1100 mg/kg (ATE)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

US

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

• Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1760 · UN proper shipping name Corrosive liquids, n.o.s. (Hydroxylamine Hydrochloride) $\cdot DOT$ · IMDG, IATA CORROSIVE LIQUID, N.O.S. (Hydroxylamine Hydrochloride) · Transport hazard class(es) $\cdot DOT$ · Class 8 Corrosive substances · Label 8 · IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group · DOT, IMDG, IATA Ш (Contd. on page 8) US

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

	(Contd. of page 7
· Environmental hazards: · Marine pollutant:	No
• Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Stowage Category	Α
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (HYDROXYLAMINI HYDROCHLORIDE), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

CAS: 5470-11-1 Hydroxylamine Hydrochloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

 \cdot EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

. US –

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

Hazard pictograms	(Contd. of pag
Trazara pictograms	
GHS05 GHS07 GHS08	
Signal word Warning	
Hazard-determining components of labeling:	
Hydroxylamine Hydrochloride	
Hazard statements	
May be corrosive to metals.	
May cause an allergic skin reaction.	
Suspected of causing cancer.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Keep only in original container.	
Contaminated work clothing must not be allowed out of the workplace.	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Wash contaminated clothing before reuse.	
Specific treatment (see on this label).	
IF exposed or concerned: Get medical advice/attention.	
If skin irritation or rash occurs: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
IF ON SKIN: Wash with plenty of water.	
Absorb spillage to prevent material damage.	
Store locked up.	
Store in corrosive resistant container with a resistant inner liner.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ns.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of preparation / last revision
 Revision 03, 07-12-2017: revised DOT back to UN1760 from incorrect version that said Not regulated. STN
 Revision 0.2, 03/03/2017: upodated hazard ICON and DOT. STN
 Revision 0.1, 5-01-2015: revised to correct emergency contact and technical contact information. STN
 Creation date for SDS 05-19-2014 LS
 07/14/2017 /

 Abbreviations and acronyms:
 Output: Description:
 Description:
 Description:
 Description:
 Description:
 Revision:
 Revision:
 Description:
 Descriptio

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 10)

⁻ US

Printing date 07/14/2017

Reviewed on 07/14/2017

Trade name: Calcium Titration Solution I

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Met. Corr. 1: Corrosive to metals – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	(Contd. of page 9)
	US —