Printing date 07/05/2017 Reviewed on 06/30/2017

1 Identification

· Product identifier

· Trade name: Calcium Titration

Solution II

· Article number: 205-25

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683

· Information department: techservices@ofite.com

· Emergency telephone number:

INFOTRAC USA - CANADA: 1-800-535-5053

INTERNATIONAL: 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS06

6 GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: sodium cyanide
- · Hazard statements

Fatal in contact with skin.

Toxic if inhaled.

Causes skin irritation.



(Contd. on page 2)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 1)

Causes serious eye irritation.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If eye irritation persists: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous comp | ponents: | |
|------------------|------------------|---------|
| CAS: 143-33-9 | sodium cyanide | 22.222% |
| CAS: 1310-73-2 | Sodium Hydroxide | 0.575% |

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 | Water 77.203%

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · Froiective Action | Crueria for Chemicais | | |
|---------------------|-----------------------|--------------------|--|
| · PAC-1: | | | |
| CAS: 143-33-9 | sodium cyanide | 4.0 mg/m3 | |
| CAS: 1310-73-2 | Sodium Hydroxide | 0.5 mg/m3 | |
| · PAC-2: | | | |
| CAS: 143-33-9 | sodium cyanide | 14 mg/m3 | |
| CAS: 1310-73-2 | Sodium Hydroxide | 5 mg/m3 | |
| | | (Contd. on page 4) | |

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 3)

| | (80 | onta. of page 3) |
|----------------|------------------|------------------|
| · PAC-3: | | |
| CAS: 143-33-9 | sodium cyanide | 30 mg/m3 |
| CAS: 1310-73-2 | Sodium Hydroxide | 50 mg/m3 |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- $\cdot \textit{Components with limit values that require monitoring at the workplace:} \\$

CAS: 143-33-9 sodium cyanide

PEL Long-term value: 5 mg/m³

as CN; Skin

REL Ceiling limit value: 5* mg/m³, 4.7* ppm

as CN; *10-min

TLV Ceiling limit value: 5 mg/m³, 4.7 ppm

as CN; Skin

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and | chemical properties | |
|-----------------------------------|-----------------------------------------------|--|
| General Information | | |
| Appearance: | | |
| Form: | Liquid | |
| Color: | Clear to slightly turbid | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | >11 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |

(Contd. on page 6)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

| | (Cont | d. of page 5 |
|-----------------------------------------|--------------------------------------------|--------------|
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17 mm Hg) | |
| Density at 20 °C (68 °F): | 1.174 g/cm³ (9.797 lbs/gal) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wate | e r): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 0.0 % | |
| Water: | 77.2 % | |
| VOC content: | 0.0 g/l / 0.00 lb/gl | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | | |
|--------------------------------------------------------|----------|------------|--|
| ATE (Acute Toxicity Est | | Estimates) | |
| 1 | | 22.5 mg/kg | |
| Inhalative | LC50/4 h | 2.25 mg/l | |
| CAS: 143-33-9 sodium cyanide | | om cvanide | |

| CAS: 143-33-9 sodium cyanide | | |
|------------------------------|----------|------------------|
| Oral | LD50 | 6440 mg/kg (rat) |
| Dermal | LD50 | 5 mg/kg (ATE) |
| Inhalative | LC50/4 h | 0.5 mg/l (ATE) |

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: (Contd. on page 7)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 6)

Toxic

Irritant

Very toxic

Danger through skin absorption.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3287

(Contd. on page 8)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

| | (Contd. of page |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| UN proper shipping name | |
| · DOT · IMDG | Toxic liquid, inorganic, n.o.s. (Sodium cyanide) TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM CYANIDE MARINE POLLUTANT |
| · IATA | TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM CYANIDE) |
| Transport hazard class(es) | |
| $\cdot DOT$ | |
| NHALATION HAZARD 6 | |
| · Class · Label | 6.1 Toxic substances 6.1 |
| · <i>IMDG</i> | |
| | |
| · Class · Label | 6.1 Toxic substances 6.1 |
| · Lavei · IATA | 0.1 |
| 1 8 8 | |
| · Class | 6.1 Toxic substances |
| · Label | 6.1 |
| Packing group | |
| DOT, IMDG, IATA | I |
| Environmental hazards: | Product contains environmentally hazardous substances: sodit cyanide |
| · Marine pollutant: | Yes |
| • | Symbol (fish and tree) |
| Special precautions for user | Warning: Toxic substances |
| Poison inhalation hazard: | Possible |
| Danger code (Kemler): | 66 |
| EMS Number: | F- A , S - A |
| Segregation groups | Cyanides |
| Stowage Category | B |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Anne. | x II of |
| | |

 $(Contd.\ on\ page\ 9)$

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

| | (Contd. of page |
|-------------------------------------|--------------------------------------------------|
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 1 L |
| | On cargo aircraft only: 30 L |
| · IMDG | |
| · Limited quantities (LQ) | 0 |
| · Excepted quantities (EQ) | Code: E5 |
| | Maximum net quantity per inner packaging: 1 ml |
| | Maximum net quantity per outer packaging: 300 ml |
| · UN "Model Regulation": | UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM |
| - | CYANIDE), 6.1, I |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

CAS: 143-33-9 sodium cyanide

· Section 313 (Specific toxic chemical listings):

CAS: 143-33-9 sodium cyanide

· TSCA (Toxic Substances Control Act):

CAS: 143-33-9 sodium cyanide CAS: 1310-73-2 Sodium Hydroxide

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

CAS: 143-33-9 sodium cyanide

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 143-33-9 sodium cyanide

II

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 9)

· Hazard pictograms







GHS06

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

sodium cyanide

· Hazard statements

Fatal in contact with skin.

Toxic if inhaled.

Causes skin irritation.

Causes serious eye irritation.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If eye irritation persists: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.2, 10-16-2016: added sodium hydroxide as a stablizer and added to SDS component. STN

Revision 0.1, 05-01-2015: revised to correct emergency contact and information dept contact. STN

Creation date for SDS 05-19-2014 LS

Revision 0.3, 07-05-2017: Reviewed SDS, STN

07/05/2017 / -

(Contd. on page 11)

Printing date 07/05/2017 Reviewed on 06/30/2017

Trade name: Calcium Titration Solution II

(Contd. of page 10)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 1: Acute toxicity - Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

116