Printing date 07/06/2017

Reviewed on 02/12/2014

nting date 07/06/2017	Reviewed on 02/12/20
Identification	
· Product identifier	
• Trade name: <u>Sodium Hydroxide</u> Sodium Hydroxide	OFITE
• Article number: 260-02 • CAS Number: 1310-73-2 • EC number: 215-185-5 • Index number: 011-002-00-6	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683 	
• Information department: techservices@ofite.com • Emergency telephone number: INFOTRAC USA - CANADA: 1-800-535-5053 INTERNATIONAL: 1-352-323-3500	
C Hazard(s) identification • Classification of the substance or mixture	
· Classification of the substance or mixture	
Classification of the substance or mixture	he Globally Harmonized System (GH
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled according to the substance of the substance is classified and labeled according to the substance is classified according to the substance is classifi	he Globally Harmonized System (GH
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled according to the substance of the substance is classified and labeled according to the substance is classified according to the substance is classifi	he Globally Harmonized System (GH
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled according to the Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage. Precautionary statements Do not breathe dusts or mists. 	he Globally Harmonized System (GH
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled according to the Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage. Frecautionary statements Do not breathe dusts or mists. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. If on skin (or hair): Take off immediately all contaminated clothing. Rinse	
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled according to the Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage. Precautionary statements Do not breathe dusts or mists. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. 	skin with water/shower.

Printing date 07/06/2017

Trade name: Sodium Hydroxide Sodium Hydroxide Reviewed on 02/12/2014

(Contd. of page 1) If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 2· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 FIRE 0 Fire = 0**REACTIVITY** 2 Reactivity = 2· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

• Chemical characterization: Substances • CAS No. Description

1310-73-2 Sodium Hydroxide

- Identification number(s)
- EC number: 215-185-5 • Index number: 011-002-00-6

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Printing date 07/06/2017

Reviewed on 02/12/2014

Trade name: Sodium Hydroxide Sodium Hydroxide

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

- Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** 0.5 mg/m3
- **PAC-2:** 5 mg/m3
- PAC-3: 50 mg/m3

7 Handling and storage

· Handling:

- *Precautions for safe handling Thorough dedusting.*
- Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 07/06/2017

Reviewed on 02/12/2014

Trade name: Sodium Hydroxide Sodium Hydroxide

(Contd. of page 3)

- Exposure controls
 Personal protective equipment:
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and ch General Information	nemical properties	
Appearance:		
Form:	Solid	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value (10 g/l) at 20 °C (68 °F):	>12	
Change in condition		
Melting point/Melting range:	not available $^{\circ}C$	
Boiling point/Boiling range:	not available °C	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	

Printing date 07/06/2017

Reviewed on 02/12/2014

Trade name: Sodium Hydroxide Sodium Hydroxide

	(Contd. of pag
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 800 °C (1472 °F):	3.5 hPa (3 mm Hg)
Density at 20 °C (68 °F):	2.13 g/cm ³ (17.775 lbs/gal)
Bulk density at 20 °C (68 °F):	2130 kg/m ³
Relative density	Not determined.
· Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	420 g/l
Partition coefficient (n-octanol/water)): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 2000 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

Printing date 07/06/2017

Trade name: Sodium Hydroxide Sodium Hydroxide Reviewed on 02/12/2014

(Contd. of page 5)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1823	
· UN proper shipping name		
DOT	Sodium hydroxide, solid	
· IMDG, IATA	SODIUM HYDROXIDE, SOLID	

Printing date 07/06/2017

Reviewed on 02/12/2014

Trade	name:	Sodium	Hydroxide
		Sodium	Hydroxide

	(Contd. of pag
· Transport hazard class(es)	
·DOT	
and the second s	
CORROSIVE	
8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
<u>uis</u>	
~	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
-	
 Special precautions for user Danger code (Kemler): 	Warning: Corrosive substances 80
· EMS Number:	50 F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	А
· Segregation Code	SG35 Stow "separated from" acids.
• Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 15 kg
2	On cargo aircraft only: 50 kg
· Hazardous substance:	1000 lbs, 454 kg
nma	
· IMDG	1 ha
· Limited quantities (LQ)	1 kg Coder F2
\cdot Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

 \cdot Section 355 (extremely hazardous substances): Substance is not listed.

• Section 313 (Specific toxic chemical listings): Substance is not listed.

(Contd. on page 8)

Printing date 07/06/2017

Trade name: Sodium Hydroxide Sodium Hydroxide Reviewed on 02/12/2014

(Contd. of page 7)

· TSCA (Toxic Substances Control Act): Substance is listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash thoroughly after handling.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision
- Creation date for SDS 05-27-14 LS Revision 0.1, 07-06-2017: Reviewed SDS. STN

07/06/2017 / -

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 9)

Printing date 07/06/2017

Trade name: Sodium Hydroxide Sodium Hydroxide

Reviewed on 02/12/2014

(Contd. of page 8)

119

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A