ntification Auct identifier Ale name: <u>Hydrochloric Acid 37%</u> Cele number: 275-00 Number: 7-01-0 number: 595-7 Ex number: 002-01-X tils of the supplier of the safety data sheet nufacturer/Supplier: Testing Equipment Inc. 02 Steeplecrest Dr. ston, TX 77065 Y 837-8683 rmation department: techservices@ofite.com tergency telephone number: 0TRAC USA - CANADA: 1-800-535-5053 ERNATIONAL: 1-352-323-3500	CETE
le name: <u>Hydrochloric Acid 37%</u> cle number: 275-00 Number: 7-01-0 number: 595-7 xx number: 002-01-X mils of the supplier of the safety data sheet nufacturer/Supplier: Testing Equipment Inc. 22 Steeplecrest Dr. ston, TX 77065 b) 837-8683 rmation department: techservices@ofite.com regency telephone number: 0TRAC USA - CANADA: 1-800-535-5053	OFITE
cle number: 275-00 Number: 7-01-0 number: 595-7 fx number: 002-01-X tils of the supplier of the safety data sheet nufacturer/Supplier: Testing Equipment Inc. 22 Steeplecrest Dr. ston, TX 77065 1) 837-8683 rmation department: techservices@ofite.com rgency telephone number: 0TRAC USA - CANADA: 1-800-535-5053	CETTE.
<i>Number:</i> 7-01-0 <i>number:</i> 595-7 <i>ex number:</i> 002-01-X <i>tils of the supplier of the safety data sheet</i> <i>nufacturer/Supplier:</i> <i>Testing Equipment Inc.</i> 22 Steeplecrest Dr. ston, TX 77065 () 837-8683 <i>rmation department: techservices@ofite.com</i> <i>rgency telephone number:</i> OTRAC USA - CANADA: 1-800-535-5053	
7-01-0 number: 595-7 xx number: 002-01-X nuls of the supplier of the safety data sheet nufacturer/Supplier: Testing Equipment Inc. 02 Steeplecrest Dr. 12 Steeplecrest Dr. 13 Ston, TX 77065 13 Ston, TX 77065 13 Ston department: techservices@ofite.com ston department: techservices@ofite.com storgency telephone number: 0TRAC USA - CANADA: 1-800-535-5053	
number: 595-7 595-7 fix number: 002-01-X tils of the supplier of the safety data sheet nufacturer/Supplier: Testing Equipment Inc. 2 Steeplecrest Dr. 2 Steeplecrest Dr. 5ton, TX 77065 () 837-8683 rmation department: techservices@ofite.com rgency telephone number: 0TRAC USA - CANADA: 1-800-535-5053	
595-7 <i>ex number:</i> 002-01-X <b>viso of the supplier of the safety data sheet</b> <b>vufacturer/Supplier:</b> Testing Equipment Inc. 02 Steeplecrest Dr. 12 Steeplecrest Dr. 13 Ston, TX 77065 13 Ston, TX 77065 14 Ston department: techservices@ofite.com 15 Stormation department: techservices@ofite.com 17 Stormation department: techservices@ofite.com 18 Stormation department: techservices@ofite.com 19 Stormation department: techservices@ofite	
002-01-X <b>tils of the supplier of the safety data sheet</b> <b>pufacturer/Supplier:</b> Testing Equipment Inc. 22 Steeplecrest Dr. 23 Steeplecrest Dr. 24 Steeplecrest Dr. 25 Steeplecrest Dr. 26 Steeplecrest Dr. 27 Steeplecrest Dr. 28 Steeplecrest Dr. 29 Steeplecrest Dr. 29 Steeplecrest Dr. 20 Stee	
nufacturer/Supplier: Testing Equipment Inc. 22 Steeplecrest Dr. ston, TX 77065 7) 837-8683 rmation department: techservices@ofite.com prgency telephone number: 0TRAC USA - CANADA: 1-800-535-5053	
Testing Equipment Inc. D2 Steeplecrest Dr. ston, TX 77065 D 837-8683 <b>rmation department:</b> techservices@ofite.com <b>ergency telephone number:</b> OTRAC USA - CANADA: 1-800-535-5053	
D2 Steeplecrest Dr. ston, TX 77065 ) 837-8683 rmation department: techservices@ofite.com srgency telephone number: OTRAC USA - CANADA: 1-800-535-5053	
ston, TX 77065 ) 837-8683 <b>rmation department:</b> techservices@ofite.com <b>rgency telephone number:</b> OTRAC USA - CANADA: 1-800-535-5053	
rmation department: techservices@ofite.com rrgency telephone number: OTRAC USA - CANADA: 1-800-535-5053	
rgency telephone number: OTRAC USA - CANADA: 1-800-535-5053	
OTRAC USA - CANADA: 1-800-535-5053	
<pre>*KNATUNAT*1-37/-37/10</pre>	
zard(s) identification	
sification of the substance or mixture	
GHS05 Corrosion	
<i>Corr.1 H290 May be corrosive to metals.</i>	
Corr.1 H290 May be corrosive to metals. Corr. 1A H314 Causes severe skin burns and eye damage.	
Dam. 1 H318 Causes severe skin burns and eye damage.	
Dam. 1 H518 Causes serious eye aamage.	
GHS07	
T SE 3 H335 May cause respiratory irritation.	
el elements	
S label elements The substance is classified and labeled according to the Glob	ally Harmonized System (GHS
ard pictograms	
$\wedge \wedge$	
IS05 GHS07	
al word Danger	
ard statements	
be corrosive to metals.	
ses severe skin burns and eye damage.	
cause respiratory irritation. cautionary statements	
o only in original container.	
not breathe dusts or mists.	

(Contd. on page 2)

US –

Printing date 01/15/2018

Reviewed on 01/15/2018

Trade name: Hydrochloric Acid 37%

Wash thoroughly after handling.	(Contd. of page 1)
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Absorb spillage to prevent material damage.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Store in corrosive resistant container with a resistant inner liner.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{0} Reactivity = 0$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$ FIRE 0 $Fire = 0$	
$\frac{1}{REACTIVITY[0]} Reactivity = 0$	
REACTIVITY OF REACTIVITY = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description	
7647-01-0 Hydrochloric Acid	
· Identification number(s) · EC number: 231-595-7	
• EC number: 251-595-7 • Index number: 017-002-01-X	
4 First-aid measures	

- Description of first aid measures
- $\cdot$  **General information:** Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 01/15/2018

Reviewed on 01/15/2018

Trade name: Hydrochloric Acid 37%

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
  Wear protective equipment. Keep unprotected persons away.
  Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1: 1.8 ppm
- · PAC-2: 22 ppm
- · PAC-3: 100 ppm

#### 7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 01/15/2018

Reviewed on 01/15/2018

Trade name: Hydrochloric Acid 37%

(Contd. of page 3)

	design of technical systems: No further data; see item 7.
· Control parameters	
	that require monitoring at the workplace:
CAS: 7647-01-0 Hydrochloric	
NIOSH RECOMENDED EXP	LIMI Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm
• Additional information: The li	sts that were valid during the creation were used as basis.
respiratory protective device the <b>Protection of hands:</b> Protection Protective gloves	<b>ic measures:</b> verages and feed. and contaminated clothing. at the end of work.
Due to missing tests no recomm chemical mixture. Selection of the glove material	permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ th on consideration of the penetration times, rates of diffusion and the degradation
• <i>Material of gloves</i> The selection of the suitable glo	
varies from manufacturer to ma	rial
varies from manufacturer to ma • Penetration time of glove mate	<b>rial</b> has to be found out by the manufacturer of the protective gloves and has to b

· Body protection: Protective work clothing

(Contd. on page 5)

US

Printing date 01/15/2018

Reviewed on 01/15/2018

Trade name: Hydrochloric Acid 37%

(Contd. of page 4)

Physical and chemical propert	
Information on basic physical and ch	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Pungent
Odor threshold:	Not determined.
pH-value:	<1
Change in condition	
Melting point/Melting range:	-30 °C (-22 °F)
Boiling point/Boiling range:	>100 °C (>212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 21 °C (69.8 °F):	226.636 hPa (170 mm Hg)
Density at 20 °C (68 °F):	1.18 g/cm <sup>3</sup> (9.8471 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No further relevant information available.

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

US

Printing date 01/15/2018

Reviewed on 01/15/2018

(Contd. of page 5)

Trade name: Hydrochloric Acid 37%

• *Hazardous decomposition products:* No dangerous decomposition products known.

#### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

<sup>-</sup> US

Reviewed on 01/15/2018

Trade name: Hydrochloric Acid 37%

Printing date 01/15/2018

viewed on 01/15/2018

• Recommended cleansing agent: Water,	if necessary with cleansing agents.	(Contd. of page
Transport information		
· UN-Number · DOT, IMDG, IATA	UN1789	
· UN proper shipping name · DOT · IMDG, IATA	Hydrochloric acid HYDROCHLORIC ACID	
· Transport hazard class(es)		
·DOT		
CORROSIVE 3		
· Class	8 Corrosive substances	
· Label	8	
· IMDG, IATA		
· Class	8 Corrosive substances	
· Label	8	
· Packing group · DOT, IMDG, IATA	II	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Warning: Corrosive substances	
· Danger code (Kemler): · EMS Number:	80 F-A,S-B	
· EMS Number: · Segregation groups	Г-А, S-B Acids	
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, II	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act):

Hydrochloric Acid

#### · Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

(Contd. on page 8)

<sup>–</sup> US –

Printing date 01/15/2018

Reviewed on 01/15/2018

(Contd. of page 7)

Trade name: Hydrochloric Acid 37%

- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



• Signal word Danger

· Hazard statements

May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision

Creation date for SDS 06-02-2014. STN 01-15-2018: review SDS for accuracy. STN 01/15/2018 / -

(Contd. on page 9)

US

Printing date 01/15/2018

Reviewed on 01/15/2018

# Trade name: Hydrochloric Acid 37%

(Contd. of page 8	3)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internationa Carriage of Dangerous Goods by Road)	ıl
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Met. Corr. 1: Corrosive to metals – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	us –