Printing date 01/12/2018

Reviewed on 01/12/2018

1 Identification	
· Product identifier	
· Trade name: Sulfuric Acid Solution	
5.0 Normal Aqueous	
• Article number: 230-15-01	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
OFI Testing Equipment Inc.	
11302 Steeplecrest Dr.	
Houston, TX 77065 (877) 837-8683	
· Information department: techservices@ofite.com	
• Emergency telephone number: INFOTRAC USA - CANADA: 1-800-535-5053	
INTERNATIONAL: 1-352-323-3500	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
Carc. 1A H350 May cause cancer.	
^	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
· Label elements	
• GHS label elements The product is classified and labeled according to	the Globally Harmonized System (GHS).
· Hazard pictograms	у — У ()
$\wedge \wedge$	
GHS05 GHS08	
· Signal word Danger	
· Hazard-determining components of labeling:	
Sulfuric Acid 96 - 98%	
· Hazard statements	
Causes severe skin burns and eye damage.	
May cause cancer.	
Progautionary statements	
• Precautionary statements Obtain special instructions before use.	
 Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understo 	ood.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understo Do not breathe dusts or mists.	ood.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understo Do not breathe dusts or mists. Wash thoroughly after handling.	
Obtain special instructions before use. Do not handle until all safety precautions have been read and understo Do not breathe dusts or mists.	

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

	(Contd. of page 1)
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{0} Reactivity = 0$	
• •	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
$\frac{1}{REACTIVITY[0]} Reactivity = 0$	
REACTIVITY OF TRACEWAY = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

23.0%

77.0%

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures		
Wear protective equipment. Keep unprotected persons away.		
Environmental precautions:		
Dilute with plenty of water.		
Do not allow to enter sewers/ surface or ground water.		
Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Use neutralizing agent.		
Dispose contaminated material as waste according to item 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information.		
Protective Action Criteria for Chemicals		
PAC-1:		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$	
PAC-2:		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m^3	
PAC-3:		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m ³	

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US -

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

(Contd. of page 3)

Com	ponents with limit values that require monitoring at the workplace:
CAS	: 7664-93-9 Sulfuric Acid 96 - 98%
PEL	Long-term value: 1 mg/m ³
REL	Long-term value: 1 mg/m ³
	Long-term value: 0.2^* mg/m ³
	*as thoracic fraction
Addi	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	protective clothing separately.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
In ca	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
respi	ratory protective device that is independent of circulating air.
Prote	ection of hands:
CUIL.	Protective gloves
Due	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th nical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to
	rved.
Eye	protection:
	Tightly sealed goggles
Rody	protection: Protective work clothing

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

(Contd. of page 4)

9 Physical and chemical proper	ties
· Information on basic physical and o	shemical properties
· General Information	nomed properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.1176 g/cm³ (9.32637 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	77.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	0.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 01/12/2018

Reviewed on 01/12/2018

(Contd. of page 5)

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

 · IARC (International Agency for Research on Cancer)

 CAS: 7664-93-9
 Sulfuric Acid 96 - 98%
 1

 · NTP (National Toxicology Program)

 CAS: 7664-93-9
 Sulfuric Acid 96 - 98%
 K

 · OSHA-Ca (Occupational Safety & Health Administration)
 K

 None of the ingredients is listed.
 K

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2796	
UN proper shipping name		
DOT	Sulfuric acid	
IMDG, IATA	SULPHURIC ACID	
Transport hazard class(es)		
DOT		
CORROSIVE		
•		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
,		
8		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80 E A S D	
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category	В	
Transport in bulk according to Annex	c II of	

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

· Transport/Additional information:	(Contd. of page 7
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG · Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2796 SULFURIC ACID, 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· TSCA (Toxic Substances Control Act):

Sulfuric Acid 96 - 98%

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

Hazard pictograms	(Contd. of page 8)
GHS05 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Sulfuric Acid 96 - 98%	
Hazard statements	
Causes severe skin burns and eye damage.	
May cause cancer.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/	shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if	present and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

• Date of preparation / last revision 01-12-2018: review SDS for accuracy. STN Revision 0.1, 05-04-2015: revised to correct emergency contact and technical contact information. STN Creation date for SDS 05-21-2014 LS 01/12/2018 / -

(Contd. on page 10)

Printing date 01/12/2018

Reviewed on 01/12/2018

Trade name: Sulfuric Acid Solution 5.0 Normal Aqueous

(Contd. of page 9)
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Carc. 1A: Carcinogenicity – Category 1A
US