Printing date 04/05/2021

Reviewed on 04/05/2021

I Identification            • Product identifier             • Trude name: Calcium Indicator         Solution             • Article number: 250-00             • Application of the substance / the mixture Laboratory chemicals             • Details of the supplier of the safety data sheet         • Manufacture/Supplier:             • Manufacture/Supplier:             • Information department:             etchsorvices@office.com             Technical Coordinator             Sherman Netson sherman@oquasolutions.org             • Information department:             echoservices@office.com             Technical Coordinator             Sherman Netson sherman@oquasolutions.org             • Chantree: Shon sherman@oquasolutions.org             Entergency telephone number:             Chemtree: Shon Sherman Netson Sherman (Page)             Chemtree: Shon Sherman Netson Sherman (Page)             Canute:: 613-996-6666             2 Hazard(s) identification             • Classification of the substance or mixture             Canute:: 513-996-6666              GHStobet elements             GH	rinting date 04/05/2021	
<ul> <li>Prade name: Calcium Indicator Solution</li> <li>Article number: 250-00</li> <li>Application of the substance / the mixture Laboratory chemicals</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier:</li> <li>OFT / esting Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 7005 (877) 837-8683</li> <li>Information department: techervices office.com Technical Coordinator</li> <li>Sherman Nelson sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemtree: 800-424-9300 Canute:: 613-996-6666</li> <li>21 Intzard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Off Stor Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>OffSto S Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>OffSto S Corrosion</li> <li>Eye Dam. 1 H318 Causes skin irritation.</li> <li>Label elements</li> <li>OffSto S Corrosion</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>OffSto S</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes scious eye damage.</li> <li>Wash thoroughly after handling. Wash thoroughly after handling.</li> <li>Wash with plent of water.</li> </ul>	1 Identification	
<ul> <li>Prade name: Calcium Indicator Solution</li> <li>Article number: 250-00</li> <li>Application of the substance / the mixture Laboratory chemicals</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier:</li> <li>OFT / esting Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 7005 (877) 837-8683</li> <li>Information department: techervices office.com Technical Coordinator</li> <li>Sherman Nelson sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemtree: 800-424-9300 Canute:: 613-996-6666</li> <li>21 Intzard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Off Stor Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>OffSto S Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>OffSto S Corrosion</li> <li>Eye Dam. 1 H318 Causes skin irritation.</li> <li>Label elements</li> <li>OffSto S Corrosion</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>OffSto S</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes scious eye damage.</li> <li>Wash thoroughly after handling. Wash thoroughly after handling.</li> <li>Wash with plent of water.</li> </ul>	· Product identifier	
<ul> <li>Application of the substance / the mixture Laboratory chemicals</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683</li> <li>Information department: techservices@ofte.com Technical Coordinator Sherman Neslon sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemree: 800-424-9300 Canutee: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Get Statistication of the product is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms</li> <li>Gits label elements</li> <li>Gits Statistication.</li> <li>Gut Statis</li></ul>	· Trade name: <u>Calcium Indicator</u>	OFITE.
<ul> <li>Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecress Dr. Houston, TX 77065 (877) 837-8683</li> <li>Information department: techservices@ofite.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemtree: 800-824-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture of GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>ØHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation.</li> <li>Causes skin irritation.</li> <li>Parad-determining components of labeling: Ammonium Oxalate</li> <li>Precautionary statements Causes skin irritation.</li> <li>Parad-skin irritation.</li> <li>Parad-determining components of labeling: Ammonium Oxalate</li> <li>Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection /face protection. If on skin: Wash with pleuty of water.</li> </ul>		_
techservices@offec.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-990-6666 2 Hazard(s) identification • Classification of the substance or mixture $\widehat{vvv}$ GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. $\widehat{vvv}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. • Label elements • GHS07 Skin Irrit. 2 H315 Causes skin irritation. • Label elements • GHS1abel elements The product is classified and labeled according to the Globally Harmonized System (GH • Hazard pictograms • Signal word Danger • Hazard-determining components of labeling: Ammonium Oxalate • Hazard statements Causes serious eye damage. • Frecautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.	• <i>Manufacturer/Supplier:</i> OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065	
<ul> <li>Classification of the substance or mixture</li> <li>GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GE Hazard pictograms</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements</li> <li>Causes serious eye damage.</li> <li>Precautionary statements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.</li> </ul>	techservices@ofite.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org • <b>Emergency telephone number:</b> Chemtrec: 800-424-9300	
<ul> <li>GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms)</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation, Causes sterious eye damage.</li> <li>Precautionary statements Wash thronoghy after handling, Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.</li> </ul>	2 Hazard(s) identification	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms</li> <li>Image: Image: Image</li></ul>		
<ul> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms)</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation. Causes serious eye damage.</li> <li>Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.</li> </ul>	GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage.	
<ul> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation. Causes serious eye damage.</li> <li>Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.</li> </ul>	GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07	
<ul> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation. Causes serious eye damage.</li> <li>Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.</li> </ul>	<ul> <li>GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the C</li> <li>Hazard pictograms</li> </ul>	Hobally Harmonized System (GHS
If on skin: Wash with plenty of water.	<ul> <li>GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the C</li> <li>Hazard pictograms</li> <li>GHS05</li> </ul>	Hobally Harmonized System (GHS
	<ul> <li>GHS05 Corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the C</li> <li>Hazard pictograms</li> <li>GHS05</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Ammonium Oxalate</li> <li>Hazard statements Causes skin irritation. Causes serious eye damage.</li> <li>Precautionary statements Wash thoroughly after handling.</li> </ul>	lobally Harmonized System (GHS

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator Solution

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH <sup>2</sup> Health = 2 FIRE 0 Fire = 0Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · **vPvB**: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 6009-70-7 Ammonium Oxalate 4.918% · Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### **4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
   Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

95.082%

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator Solution

(Contd. of page 2)

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 6009-70-7 Ammonium Oxalate  $30 mg/m^3$ · PAC-2: CAS: 6009-70-7 Ammonium Oxalate 330 mg/m<sup>3</sup> · PAC-3: CAS: 6009-70-7 Ammonium Oxalate  $2,000 \text{ mg/m}^3$ 

## 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US –

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator

Solution

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

#### **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Colorless **Odorless** · Odor: · Odor threshold: Not determined. · pH-value: Not determined. (Contd. on page 5) US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade	name:	Calcium	Indicator
		Solution	

	(Contd. of page
· Change in condition	
Melting point/Melting range:	$0 \degree C (32 \degree F)$
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
• Density at 20 •C (68 •F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	95.1 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator

Solution

(Contd. of page 5)

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 10,167 mg/kg

 Dermal
 LD50
 22,367 mg/kg

#### CAS: 6009-70-7 Ammonium Oxalate

Oral LD50 500 mg/kg (ATE)

Dermal LD50 1,100 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator Solution

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
UN "Model Regulation":	Not regulated	

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355	(extremely	hazardous	substances)	):
-------------	------------	-----------	-------------	----

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Calcium Indicator

Solution

(Contd. of page 7)

• Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling:

Ammonium Oxalate

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

• **Precautionary statements** Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

• Date of preparation / last revision Revision 0.0, 03-17-2021: Creation date for SDS. STN

(Contd. on page 9)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

#### Trade name: Calcium Indicator Solution

	(Contd. of page 8)
Revision 0.2, updated pH Information. STN	
Revision 0.1, 05-05-2015: revised to correct emergency and information contacts. STN	
Revision 1.0, 10-18-2019: Updated product description. STN	
04/05/2021 / 1.0	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	
· ·	Us